


SPICER[®]



SVL[®]

ALL MAKE PROPELLER SHAFT PARTS



SPICER[®]
DRIVETRAIN PRODUCTS

SVL[®]
DRIVETRAIN PRODUCTS



ANAND

INDEX	CONTENTS	PAGE
-------	----------	------

325 AM SERIES	2 - 3
403 AM SERIES	4 - 7
490 AM SERIES	8 -10

INFORMATION

VEHICLE TYPE

SCV - SMALL COMMERCIAL VEHICLE

LCV - LIGHT COMMERCIAL VEHICLE

MCV - MEDIUM COMMERCIAL VEHICLE

HCV - HEAVY COMMERCIAL VEHICLE

SPICER SMART PART No. & ENGG. PART Number

Details with "Purple Border" :
"SVL ALL MAKE PRODUCTS"

HCV - 490 AM

VDUJ0490L135 - 15-701X - (Size : 48 x 135)

APPLICATIONS: LPT 3118; 1616; 1623; 4923; 4928;
4021; 2518; 1618; 1615; VE2100; MTBL 25T
OE No: 2167-4112-0105

325 SERIES

TATA 2516 (GB 60) ; LPO 1618 ; LPT 2518 ; LPT 1613 ; LPO 1512 ; SK/SE 1613

HCV - 325 AM

VDUJ0325L119 - 15-702X - (Size : 42 x 119)

APPLICATIONS: LPK 2516 (GB 60); LPO 1618; LPT 2518; LPT 1613; LPO 1512; SK/SE 1613
OE No: 2632-4110-0117

MCV/HCV - 325 AM

VDCB0325K - 10072766

APPLICATIONS: LPO 1512, 6208 Bearing
OE No: 2073 4130 4301/ S204 325 HS610 611

MCV/ HCV - 325 AM

VDYS0325L309 - 10009006

APPLICATIONS: TATA LPT 2515 EX, 1613 TURBO, LPO 1512 55WB
OE No: 2632 4112 5103/ F570 325 055 317

MCV/ HCV - 325 AM & 403 AM (Small)

VDDC0325L135 - 10074019

APPLICATIONS: SK 1613, LPO 1512, LPO 1618, 1613 TC LPT, 2516, 2518
OE No: 2171 4112 0128/ F621 325 081 140

MCV/ HVC - 325 AM

VDSS0325L170 - 10009002

APPLICATIONS: TATA 2515 EX, LPT 1613 Turbo, 2518
OE No: 2632 4112 5109/ F540 325 084 180

MCV - 325 AM

VDSY0325S20R - 10009009

APPLICATIONS: TATA 2515 EX /1613 T
Mating Part Nos.: VDYS0325L309, VDDC0325L135
VDSS0325L170

MCV - 325 AM

Hole Size : Ø10.20
Bolt Size : 17 No.

VDFY0325H110 - 10025031

APPLICATIONS: TATA 2515 EX, LPO 1512, LPT/LPO 1613, SK/SE 1613 TC
OE No: 2067 4112 5103/ F502 325 130 075

MCV - 325 AM

Hole Size : Ø12.10
Bolt Size : 19 No.

VDFY0325H116 - 10025053

APPLICATIONS: TATA 2518 NM, LPS 3516
OE No: 2194 4110 5101/ F505 325 150 075

325 SERIES

TATA 2516 (GB 60) ; LPO 1618 ; LPT 2518 ; LPT 1613 ; LPO 1512 ; SK/SE 1613

MCV - 325 AM

Hole Size : Ø11
Bolt Size : 17 No.

4 Holes

130mm

110mm

Serrated

VDFY0325H110T - 10025064

APPLICATIONS: TATA 2515 EX/LPT/ 1510/ 1613
Mating UJ Cross: (120 X 42)

MCV - 325 AM

Hole Size : Ø13
Bolt Size : 19 No.

4 Holes

150mm

110mm

Serrated

VDFY0325D150T - 10025065

APPLICATIONS: LPO 1616 55WB BS-4, 2515 EX
OE No: 2163 4110 9901, F504 325 150 079

MCV - 325 AM

125 mm

90mm/3.5"

VDTY0325D90 - 10025048

APPLICATIONS: TATA LPO 1512, 2515 EX
OE No: 2632 4110 5106, F520 325 084 078

MCV - 325 AM

134mm

95mm/3.7"

VDTY0325D102 - 10025050

APPLICATIONS: LPK 2516 (GB 60); LPO 1618; LPT 2518; LPT 1613; LPO 1512; SK/SE 1613
Mating UJ Cross: (42X 119)

HCV - 90 SERIES

160.5mm/ 6.3"

34 Splines

Bearing ID - 44.5mm

3.7"

VDMT0090D95 - 10035798

APPLICATIONS: 2516 TCAC

HCV - 90 SERIES

199mm/ 7.8"

26 Splines

Bearing ID - 55mm

3.7"

VDMT0090D95WO - 10035802

APPLICATIONS:
TATA 2515/ 2518 / 2416

403 SERIES

TATA LPK 1518 ; LPK 1616 ; 1613 ; 1621 ; 2518 ; AMW - 2518 TP ; VE 2100 ; 2516IL

HCV - 403 AM

RFL

42mm

129mm

VDUJ0403L129 - 15-703X - (Size : 42 x 129)

APPLICATIONS: LPK 1518; LPK 1616; 1613; 1621; 2518
OE No: 2171-4112-0127

MCV/HCV - 403 AM

55mm

142mm

VDCB0403KM - 10072765

APPLICATIONS: LPT 2515TC, LPT 1613 679 TCIC, LPK /SK1613, 3116/3118, 2518
OE No: 2194 4110 0101N, S204 325 610 611

MCV/HCV - 403 AM

55mm

141mm

VDCB0403K - 10072764

APPLICATIONS: TATA SE 1613 TC BSIII, LPT 1613
OE No: 2182 4110 0104N, S204 325 610 611

MCV/ HCV - 403 AM (Small)

20 Splines

152mm

344.2mm

VDYS0403L340 - 10074012

APPLICATIONS: TATA 2515, LPK 2516
OE No: 2171 4112 5107, F570 403 055 296

MCV/ HCV - 325 AM & 403 AM (Small)

81.5mm

140mm

VDDC0325L135 - 10074019

APPLICATIONS: SK 1613, LPO 1512, LPO 1618, 1613 TC LPT, 2516, 2518
OE No: 2171 4112 0128, F621 325 081 140

MCV/ HCV - 403 AM (Small)

20 Spline

170mm

95mm

VDSS0403L170 - 10009005

APPLICATIONS: TATA 2518
OE No: 2171 4112 5106, F541 325 094 180

MCV - 403 AM (Small)

340mm/13.4"

20 Splines

VDSY0403S20R - 10001007

APPLICATIONS: TATA, 2516
Mating Part Nos.: VDYS0403L340, VDDC0325L135
VDSS0403L170

403 SERIES

TATA LPK 1518 ; LPK 1616 ; 1613 ; 1621 ; 2518 ; AMW - 2518 TP ; VE 2100 ; 2516IL

MCV/ HCV - 403 AM (Medium)



VDYS0403L15R - 10074018

APPLICATIONS: TATA LPK 2518, AMW 2518 TP,
VE 2100 6X4 9S ZF
OE No: 110202 0102, F574 403 055 338

MCV/HCV - 403 AM (Medium & Long)



VDDC0403L210 - 10035834


MCV/ HCV - 403 AM (Medium)



VDSS0403L293 - 10035801

APPLICATIONS: 2518
OE No: F556 325 064 220

HCV - 403 AM (Medium)



VDSY0403L382 - 10035799

APPLICATIONS: 2518 Medium
Mating Part No: VDYS0403L15R, VDDC0403L210

HCV - 403 AM



VDYS0403L433 - 10036320

APPLICATIONS: TATA 2518
Mating Part Nos.: VDYS0403L15R, VDDC0403L210
VDSS0403L293

MCV/ HCV - 403 AM (Long)



VDYS0403L382 - 10074016

MCV/ HCV - 403 AM (Medium & Long)



VDDC0403L210 - 10035834

MCV/ HCV - 403 AM (Long)




VDSS0403S20R - 10021383

APPLICATIONS: TATA 2518
OE No: 2167 4112 5108, F556 325 064 220

403 SERIES

TATA LPK 1518 ; LPK 1616 ; 1613 ; 1621 ; 2518 ; AMW - 2518 TP ; VE 2100 ; 2516IL

HCV - 403 AM (Long)



VDSY0403TL15R - 10021375

APPLICATIONS: 2518 - LONG 403
Mating Part No: VDYS0403L382, VDCC0403L210

HCV - 403 AM (Long)



VDYS0403S20LR - 10021622

APPLICATIONS: TATA 2518
Mating Part No: VDYS0403L382, VDCC0403L210, VDSO403S20R

HCV - 403 AM

Hole Size : Ø13
Bolt Size : 19 No.




VDFY0403H110T - 10025055

APPLICATIONS: 2518
Mating UJ Cross: (129X 42)
OE No: 2171-4112-5108

HCV - 403 AM

Hole Size : Ø12.10
Bolt Size : 19 No.




VDFY0403H116 - 10025057

APPLICATIONS: 2518 N/M
Mating UJ Cross: (129X 42)

HCV - 403 AM

Hole Size : Ø13
Bolt Size : 19 No.




VDFY0403H125T - 10025054

APPLICATIONS: TATA LPK 2518 38WB,
AMW 2518 TP 6X4 BSIII
OE No: 2167 4112 5105/110N, F510 403 150 095

HCV - 403 AM

Hole Size : Ø16.20
Bolt Size : 24 No.




VDFY0403H135 - 10025032

APPLICATIONS: LPK 2516
OE No: 2171 4112 5104, F502 403 165 101

MCV - 403 AM

Hole Size : Ø9.50
Bolt Size : 15 No.



VDFY0403D175 - 10025072

APPLICATIONS: 2516
Mating UJ Cross: (129 X 42)

MCV - 403 AM



VDTY0403D102 - 10025049

APPLICATIONS: TATA SK 1613 42WB BSIII,
2518/2516 BSIII 193"WB
OE No: 2171 4112 5105, F520 403 095 085

MCV - 403 AM



VDTY0403H145 - 10025051

APPLICATIONS: TATA LPK 2518 38WB,
AMW 2518 TP, VE 2100 6X4 9S ZF
OE No: 2167 4112 5106, F530 403 095 101

403 SERIES

TATA LPK 1518 ; LPK 1616 ; 1613 ; 1621 ; 2518 ; AMW - 2518 TP ; VE 2100 ; 2516IL

HCV - 90 SERIES



VDMT0090L159 - 10047982

APPLICATIONS: TATA 2518 N/M, 3516 (55 Dia),
Bearing No: 6211

HCV - 90 SERIES



VDMT0090L175 - 10047973

APPLICATIONS: TATA 2518 (65 Dia), Bearing No: 6013
OE No.: S466 490 566 615


HCV - 90 SERIES



VDMT0090L196 - 10047983

APPLICATIONS: TATA 2515/2518/2416 (55 Dia),
Bearing No: 6211


HCV - 403 AM (Small)



VDST0403L330 - 10021277

APPLICATIONS: TATA 2523/24 Small;
Mating Parts: VDSS0403L170, VDTY0403H145


HCV - 403 AM (Medium)



VDST0403L356 - 10021227

APPLICATIONS: AMW 2518 Medium;
Mating Parts: VDSS0403L293, VDTY0403H145

HCV - 403 AM (Large)




VDST0403L394 - 10021241

APPLICATIONS: AMW 2518 Long;
Mating Parts: VDSS0403S20R, VDTY0403H145

HCV - 403 AM

Hole Size : Ø13
Bolt Size : 19 No.



VDCF0403H95TI - 10025076

APPLICATIONS: TATA 2518, 2523 (Center Coup.)
OE No. : S226 403 615 581

490 SERIES

TATA LPT 3118 ; SK 1616 ; LPO 1623 ; LPS 4923/28 ; LPS 4021
LPT 2518 ; LPK 1618 ; VE 2100 ; MTBL 25T

HCV - 490 AM

RFL

48mm

135mm

VDUJ0490L135 - 15-701X - (Size : 48 x 135)

APPLICATIONS: LPT 3118; 1616; 1623; 4923; 4928; 4021; 2518; 1618; 1615; VE2100; MTBL 25T
OE No.: 2167-4112-0105

HCV- 490 AM

55mm

173mm

VDCB0490KN - 10076366

APPLICATIONS: LPT 3118 TC, LPT 2518 TC
OE No. : 2846 4110 0111, S204590610611

HCV - 490 AM

65mm

146mm

VDCB0490K - 10072763

APPLICATIONS: 3116/3118 (After Apr 16) - 6013 Bearing
OE No. : S457 490 663 204 236

MCV/ HCV - 490 AM (Small)

30 Splines

148mm

323.5mm

VDYS0490L323 - 10009004

APPLICATIONS: TATA 2518, 4018
OE No. : 2167 4112 5103, F570 490 066 298

MCV/ HCV - 490 AM (Small)

88mm

134.5 MM

VDDC0490L135 - 10074022

APPLICATIONS: TATA 4018, 3118
OE No. : 2846 4112 0103, F621 490 089 130

MCV/ HCV - 490 AM (Small)

30 Spline

95 MM

195 MM

VDSS0490L195 - 10009007

APPLICATIONS: TATA 2518, 4018
OE No. : 2167 4112 5104, F540 490 095 268

HCV - 490 AM

324mm/ 12.75"

30 Splines

VDSY0490S30R - 10009011

APPLICATIONS: TATA 2518/ 4018
Mating Part Nos: VDYS0490L323, VDDC0490L135, VDSS0490L195

490 SERIES

TATA LPT 3118 ; SK 1616 ; LPO 1623 ; LPS 4923/28 ; LPS 4021
LPT 2518 ; LPK 1618 ; VE 2100 ; MTBL 25T

MCV/ HCV - 490 AM (Long)



30 Splines

366.5mm

165.5mm

VDYS0490L14R - 10074045

APPLICATIONS: TATA 4018, 3118
OE No. : 2846 4110 0111, S204590610611

MCV/ HVC - 490 AM (Long)



88.9mm

170mm

VDDC0490L170 - 10021615

MCV/ HCV - 490 AM (Long)



30 Spline

256mm

95 MM

VDSS0490S30R - 10021497

APPLICATIONS: TATA 4018
OE No. : Ref No: F550 490 062 373/ F552490091268

HCV - 490 AM



30 Splines

365mm/ 14"

VDSY0490TL14R (10021500)

APPLICATIONS: TATA 4018
Mating Part Nos.: VDYS0490L14R, VDDC0490L170

HCV - 0490 AM



382mm/15"


30 Splines

VDYS0490S30LR - 10021624

APPLICATIONS: TATA 2518, 4018
Mating Part Nos : VDYS0490L14R, VDDC0490L170, VDSS0490S30R

HCV - 490 AM

Hole Size : Ø16.20
Bolt Size : 24 No.



8 Holes

126mm

165mm

Plain

VDFY0490H126 - 10025033

APPLICATIONS: NEW - TATA 4018
Mating UJ Cross: (135 X 48)

HCV - 490 AM

Hole Size : Ø13
Bolt Size : 19 No.



4 Holes

115mm

150mm

Serrated

VDFY0490H116T - 10025056

APPLICATIONS: 3118/ 4018
Mating UJ Cross: (135 x 48)
OE No. : Ref No: F500 490 155 117

HCV - 490 AM

Hole Size : Ø13
Bolt Size : 19 No.



4 Holes

135mm

150mm

Serrated

VDFY0490H135T - 10025067

APPLICATIONS: 3118/ 4018
Mating UJ Cross: (135 X 48)
OE No. : Ref No: F512 490 150 097

490 SERIES

TATA LPT 3118 ; SK 1616 ; LPO 1623 ; LPS 4923/28 ; LPS 4021 ; LPT 2518
 LPK 1618 ; VE 2100 ; MTBL 25T

HCV - 490 AM

Hole Size : Ø15
 Bolt Size : 22 No.

4 Holes

110mm

178mm

Serrated

VDFY0490H110T - 10025073

APPLICATIONS: 3118/ 4018
 Mating UJ Cross: (135 X 48)

HCV - 490 AM

Hole Size : Ø15
 Bolt Size : 22 No.

4 Holes

130mm

180mm

Serrated

VDFY0490H130T - 10025074

APPLICATIONS: 3118/4018/4921/LPK2523
 OE No. : 5011 4112 5109, F511 490 180 097

HCV - 490 AM (Medium)

136 mm

95mm / →
 3.7"

VDTY0490H130 - 10025078

APPLICATIONS: LPT 3118; 1616; 1623; 4923; 4928;
 4021; 2518; 1618; 1615; VE2100; MTBL 25T
 Mating UJ Cross: (48 X 135)

HCV - 490 AM (Long)

140 mm

95mm / →
 3.7"

VDTY0490D102 - 10025052

APPLICATIONS: TATA 4018
 OE No. : 2161 4112 5102, F520 490 095 945

HCV - 490 AM (Medium)

375mm / 14.7"

4"

SPLINES : 30

VDST0490L375 - 10021267

APPLICATIONS: TATA 2523;
 Mating: VDTY0490H130, VDSS0490S30R

HCV - 490 AM (Long)

381mm / 15"

4"

SPLINES : 30

VDST0490L381 - 10021264

APPLICATIONS: TATA 2523;
 Mating: VDTY0490D102, VDSS0490S30R



SPICER[®]
DRIVETRAIN PRODUCTS

SVL[®]
DRIVETRAIN PRODUCTS

SPICER INDIA PRIVATE LIMITED
144, Sipoot Industrial Complex, Phase 1,
HOSUR - 635 126. Tamil Nadu
Tel : +91 4344-404200 | Email : spiceram@dana.com